Control Number 2006- 5E-012

## PANASONIC INDUSTRIAL EUROPE GMBH

| SPECIFICATION             |  |  |  |  |
|---------------------------|--|--|--|--|
| LITHIUM BATTERY           |  |  |  |  |
| Ordering Code CR-123PE/BE |  |  |  |  |
| Model Code CR123A         |  |  |  |  |

Approved by

Division/Department

Name

Title

Signature/Date



Issued: May. 12th. 2006
Lithium & Micro Battery Business Unit
Primary Battery Company
Matsushita Battery Industrial Co., Ltd.

| Approved | Checked | Checked    | Drafted |  |
|----------|---------|------------|---------|--|
| 7 km     | 7 Sym   | Ja Mariano |         |  |

# Change Description

| No. | Date                         | Revision |
|-----|------------------------------|----------|
| 1   | May. 12 <sup>th</sup> . 2006 | Issued   |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              | -        |
|     |                              |          |
|     |                              | ·        |
|     |                              |          |
| :   | _                            |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |
|     |                              |          |

# 1. Application Range

This specification applies to Manganese dioxide lithium batteries manufactured by Matsushita Battery Industrial Co., Ltd (MBI).

## 2. Nominal Specification

| 2-1 Model Number                         | CR-123PE/BE (Bare cell: CR123A)                      |  |  |  |
|--|--|--|--|--|
| 2-2 Nominal Voltage                      | 3V   |  |  |  |
| 2-3 Nominal Capacity                     | 1,400mAh   |  |  |  |
|  | (Nominal capacity is based on the standard           |  |  |  |
|  | discharge current and cut-off voltage 1.8V at 20°C.) |  |  |  |
| 2-4 Standard Discharge Current           | 20mA   |  |  |  |
| 2-5 Maximum Continuous Discharge Current | 1000mA at 20°C                                       |  |  |  |
| 2-6 Dimensions                           | See attached drawing                                 |  |  |  |
| 2-7 Mass                                 | Approximately 17g                                    |  |  |  |
| 2-8 Appearance                           | No noticeable deformation                            |  |  |  |
| 2-9 Temperature                          | Operation –20 to +60°C                               |  |  |  |
|  | Storage –20 to +45°C                                 |  |  |  |
|  | (Note: Contact Panasonic in case continuous          |  |  |  |
|  | high-temperature over +60°C usage conditions.)       |  |  |  |
| 2-10 Recommendable Storage Condition     | Temperature: 5°C to 35°C                             |  |  |  |
|  | Humidity: Less than 70%RH                            |  |  |  |
| 2-11 Battery Composition                 | Lithium primary battery composed of cathode from     |  |  |  |
|  | Manganese dioxide, anode from lithium, and           |  |  |  |
|  | electrolyte from organic solvent and lithium salt.   |  |  |  |

# 3. Characteristics

| 3-1 Open Circuit Voltage       |   |
|--------------------------------|---|
| 3-1-1 Initial                  | Between 3.0 and 3.5V                                |
|                                | (The measuring method described in item 5-4-1.)     |
| 3-1-2 After 1 year (at 25±5°C) | Between 3.0 and 3.5V                                |
|                                | (The measuring method described in item 5-4-1.)     |
| 3-2 Impedance                  |   |
| 3-2-1 Initial                  | Between 0.1 and $1.0\Omega$                         |
|                                | (The measuring method described in item 5-4-2.)     |
| 3-1-2 After 1 year (at 25±5°C) | Between 0.1 and 1.0 Ω                               |
|                                | (The measuring method described in item 5-4-2.)     |
| 3-3 Duration(Pulse cycles)     |   |
| 3-3-1 Initial                  | 1500cycles MIN. (20±3°C)                            |
|                                | 700cycles MIN. (-20±3°C)                            |
|                                | (The measuring method described in item 5-4-3.)     |
| 3-3-2 After 1 year (at 25±5°C) | 1500cycles MIN. (20±3°C)                            |
|                                | 700cycles MIN. (-20±3°C)                            |
|                                | (The measuring method described in item 5-4-3.)     |
| 3-4 Vibration Resistance       | Deterioration of performance (3-1) shall not occur  |
|                                | after the test described in item 5-4-4.             |
| 3-5 High Temperature Storage   | The battery shall not show leakage or salting after |
|                                | the high temperature storage described in item      |
|                                | 5-4-5.  |

# 4. Test Condition

| 4-1 Test Condition            | Unless otherwise specified the test shall be carried out at, |
|-------------------------------|--|
|                               | Temperature : 25±5°C   |
|                               | Humidity: 65±10%RH   |
| 4-2 Test Timing               | The test shall be started within a month from delivered day. |
| 4-3 Measurement Instrument    |  |
| 4-3-1 Voltage Meter           | Input impedance : ≧ 10MΩ                                     |
| 4-3-2 Battery Impedance Meter | Accuracy : ≦ 0.5%  |
|                               | Sine-wave AC method (1kHz, 0.1mA)                            |
|                               | (As a general, Agilent Technologies LCR Meter                |
|                               | [4263B] is recommended.)                                     |
| 4-3-3 Caliper                 | Accuracy : ≦ 1% by JIS                                       |
| 4-3-4 Balance                 | Sensitivity : ≦ 100mg  |

# 5. Measuring Method


| 5-1 Dimensions                  | This shall be measured with the caliper described in item 4-3-3.                                      |
|---------------------------------|---|
| 5-2 Mass                        | This shall be measured with the balance described in item 4-3-4.                                      |
| 5-3 Appearance                  | Deformation or tarnish shall be visually checked.   |
| 5-4 Characteristics             |   |
| 5-4-1 Open Circuit Voltage      | This shall be measured with the voltage meter described in item 4-3-1.                                |
| 5-4-2 Impedance                 | This shall be measured with the impedance meter described in item 4-3-2.                              |
| 5-4-3 Duration (Pulse cycles)   | This shall be measured by pulse discharge method. The condition is                                    |
|                                 | Test temperature : 20±3°C   |
|                                 | -20±3℃  |
|                                 | Pulse pattern : 0.9A 3secON ⇔ 27secOFF  |
|                                 | End voltage : 1.55V(20±3°C)   |
|                                 | 1.20V(-20±3°C)  |
| 5-4-4 Vibration Test            | This test shall be carried out by the following condition according to UN Manual of Test and          |
|                                 | Criteria, PartⅢ, sub-section 38.3.4.5,  |
|                                 | Amplitude: 0.8mm  |
|                                 | Frequency: 7 ⇔ 200Hz  |
| ,                               | Directions: X, Y, Z   |
| 5-4-5 High Temperature Storage  | Duration: 15 minutes, 12 times (each direction)   |
| 3-4-3 Fight temperature Storage | The battery shall be stored at 60°C for 28 days.  After the storage, the battery shall be kept in dry |
|                                 | · _ · _ · _ · _ · _ · _ · _ · _ ·   |
|                                 | place at 25±5°C during 4hours, then leakage and appearance shall be checked by naked eyes.            |

## 6. Indication

6.1 Below items are indicated on the battery or its package. (Design of indication can be changed without notice.)

| Model code               | CR123A          |
|--------------------------|-----------------|
| Nominal voltage          | 3V              |
| Manufacture or its brand | Panasonic       |
| Production               | Japan or U.S.A. |

## 6.2 Date Code System



October; 0, November; Y, December; Z

## 6.3 UL Standard

This battery is certificated by UL and listed on the file number MH12210.

## 6.4 Production Site

Matsushita Battery Industrial Co. (MBI) 1-1Matsushita-cho, Moriguchi-city, Osaka, 570-8511, Japan

PANASONIC BATTERY CORPORATION OF AMERICA LITHIUM BATTERY DIV.(PBA-LD) One Panasonic DR Columbus 31907/GA U.S.A.

## 7. Operations and Modification of This Specification

Modification must be carried out under mutual agreement.

Any Accidents caused by non-described items in this specification must be discussed and solved mutually.

## 8. Important Notes (Warranty)

1) The batteries are warranted to conform to the description contained in this Specification for a period of twelve [12] months from the ex-factory date and any claim by you (customer) must be made within such period.

During that warranty period, if the Batteries are proved to become defective, non-defective and conforming Batteries will be supplied in due course at sole expense of Matsushita Battery Industrial Co., Ltd. (MBI or PBA-LD) upon MBI(PBA-LD)'s own determination that this is apparently caused by negligence of MBI(PBA-LD).

Any further claims based on the delivery of defective Batteries shall be excluded. Such exclusion shall not affect the liability of MBI(PBA-LD) based on product liability for grossly negligence or intentional behavior of MBI(PBA-LD).

2) Confirmation of the matching and reliability of Batteries into your actual sets or units is your own responsibility.

3) MBI(PBA-LD) shall not warrant or be responsible in any case where your fails to carry out proper handling, operating, installation, testing, service and checkout of the batteries and/or to follow the instructions, cautions, warnings, notes provided in this Specifications, or other MBI(PBA-LD)'s reasonable instructions or advice.

#### 9. Others

- 1) CR123A is developed for Camera use only, and requested to replace within two years if its used for another usage, out of Camera use.
- 2) This product specification will be validated assuming that it is accepted when it is not returned within six months from the date of issue.
- 3) The weight of lithium metal content in this battery is within the limit of dangerous goods in regulations of transportation such as IATA, IMO, or DOT. This battery is certificated UN Recommendation on the Transport of Dangerous Goods.
- 4) This battery does not contain any toxic materials, such as mercury, cadmium or lead.

## 10. Precautions for use

- 1) The battery shall not be stored at temperatures in excess of 45°C.

  Storage at less than 35°C is recommended. Storage at less than -20°C can deform the plastic parts and may cause a leakage. To prevent self-discharge caused by corrosion or decrease of insulation, humidity during storage shall be less than 70%RH.
- 2) The battery has an explosion resistant construction. But the following cautions should be taken, because combustible materials such as lithium metal and organic electrolyte are contained in the battery.
  - \* Do not use except in applicable model or equipment.
  - \* Do not connect more than two cells in series.
  - \* Do not mix new (fresh) and old (end of life) batteries.
  - \* Do not force-discharge.
  - \* Do not mix different types (chemistries) of batteries.
  - \* Do not short circuit.
  - \* Do not dispose in fire.
  - \* Do not charge.
  - \* Do not disassemble.
  - \* Do not heat up more than 100°C.
  - \* Do not solder directly onto batteries.
  - \* Do not soak in water.
  - \* Do not deform.
  - \* Do not inadequacy modify and remodel for installation.
  - \* Insert the batteries in correct polarity position.
- 3) Keep away from heat source or flame.
- 4) The battery shall not be washed by ultrasonic wave washer.
- 5) Keep away from children and infants to prevent the possibility of swallowing by mistake.

| Symbol | Date | Revision   | Signed    | Checked |
|--------|------|--|-----------|---------|
|        |      |  |           |         |
|        |      | (0.047 <sup>+0.012</sup> ) (0.08) (0.08) (0.047 <sup>+0.012</sup> ) (0.08) (0.047 <sup>+0.012</sup> ) (0.08) | <u>4)</u> |         |
|        |      | \$\frac{\pi_{0.0472\pi_{0.039}}{\pi_{0.472\pi_{0.039}}}\}{\pi_{0.472\pi_{0.039}}{\pi_{0.472\pi_{0.039}}}\}   | _         |         |

Voltage : 3V


Terminals : Flat Contact


# Remarks

- \* The height of overlapped portion is not specified
- \* PTC device is installed inside

unit : mm(inch)

| Symbol             | Material & Size  | Proce     | ess Remark      |  |
|--------------------|--|-----------|-----------------|--|
| LITHI              | UM BATTERY   | Model No. | CR123A          |  |
|                    | CR123A   | Name      | Product Drawing |  |
| Scale C L Designed | Reviewed Checked Check | No.       | 050513          |  |






|   |      | 包        | <br>装      | 仕 | <br>様 | 書 |   | 分類 | 番号 | 232-円筒-CR/BR-共通 |
|---|------|----------|------------|---|-------|---|---|----|----|-----------------|
| - | -    |          |            |   |       |   |   | 制  | 定  | 2002.12.20      |
| 밂 | 番/Mo | odel Nun | nber<br>—— |   | 1     |   | _ | 実  | 施  | 2003.01月切以降     |

# VTCP対応の梱包箱表示

VTCP marking and labeling for air tansportation of lithium cells and batteries.


- \*円筒形リチウム電池(品番: B R -, C R )の場合. Cylindrical type lithium cell and Batteries.(BR-, CR-)
- \*外装段ボ-ル箱<Corrugated board case.>



シ-ル貼り叉は印刷. marking or labeling.

1/1

# [VTCP mark]



# **Panasonic**

# Battery Safety Practices Avoid danger when handling batteries

Lithium batteries contain volatile materials such as lithium, organic solvents and other chemical ingredients. Incorrect handling of lithium batteries may result in heat generation, fire or explosion, with the risk of personal injury or damage. To prevent accidents when handling batteries, be sure to observe the following precautions.

# 1. Do not stack or jumble batteries

Avoid contact between positive (+) and negative (-) battery poles, and contact with other metal surfaces, as this can cause short circuits with intense current flows and heat. Stacking or jumbling batteries, as shown at right, may cause short circuits, heat generation, fire or explosion.

# 2. Do not dispose of batteries in fire

Disposal of batteries in fire is extremely dangerous with a risk of explosion and violent flaring.

## 3. Do not heat batteries


When lithium batteries are heated above 100°C (212°F), the resin used in seals, separators and other parts may be damaged, causing electrolyte

leaks and internal short circuits which may lead to fire or explosion.

# Example of stacked and jumbled batteries



\* Contact between battery poles may form a discharge circuit and lead to heat generation, fire or explosion.



# 4. Do not Solder directly onto batteries

Heat from soldering may damage seals, separators and other parts, causing electrolyte leaks and internal short circuits which may lead to fire or explosion.

# 5. Do not recharge batteries

Attempting to recharge batteries may result in internal generation of gases, which may lead to swelling, fire or explosion.

## 6. Do not dissemble batteries

Do not disassemble lithium batteries as this can generate a gas that may irritate the throat. Lithium may also react with moisture to generate heat and fire.

## 7. Do not deform batteries

When extreme pressure is applied to batteries, seals may be deformed or damaged, causing electrolyte leaks or internal short circuits. This may lead to the risk of heat generation, fire or explosion.

# 8. Do not mix different types of batteries

For some applications, mixing different types of batteries, or new and old batteries, can cause over discharge due to differences in voltage and electrical capacities. This may lead to the risk of swelling or explosion.

# 9. Insert batteries correctly

Depending on the application device, incorrect insertion of batteries, with positive (+) and negative (-) poles reversed, may result in short circuits and the risk of heat generation, fire or explosion.

Please ensure the above precautions are strictly observed by related divisions including production departments, sales departments and external subcontractors. For additional details and information, please contact our sales representatives.