

Печать

Закреть



## 8-Port USB/PS/2 Rack Mount KVM Switch

### TK-803R (Version: v1.0R)

- 8-port KVM switch with VGA and USB connection to computers
- Supports both USB and PS/2 connections to console port
- Device monitoring with adjustable Auto-Scan and audible feedback
- Supports most operating systems and advance mouse designs



The 8-Port USB KVM Switch lets you manage multiple computers with just one set of keyboard, monitor and mouse. This rack mount device supports USB and PS/2 interface on the console and USB only on the PC side. Popular hardware platforms such as PC, Linux and Mac are supported. Users can switch between PCs using hot-key or push button for flexible management. Users can also hot-plug PCs on the fly to avoid downtime. The 8-Port USB KVM Switch is the perfect choice for managing multiple PC's.

### Общие характеристики

- 8-Port USB KVM Switch
- Supports both USB and PS/2 Interface for console port
- Supports Microsoft IntelliMouse, IntelliMouse Explorer, Logitech NetMouse, Optical Mouse, and more

- Supports Windows 98SE/ME/ 2000/XP/2003 Server/Vista/Windows 7, Linux, Mac OS and more
- High video quality; up to 2048 x 1536 VGA resolution
- Firmware upgradeable via PC port
- Auto-Scan for monitored PCs with adjustable scan interval from 10-99 seconds
- Keyboard status restored when switching between PCs
- LEDs display for easy status monitoring
- Beeping sound for port switching confirmation (enable/disable)
- Hot-Key or push button switching
- Plug & Play and Hot-Pluggable
- Standard 19" (1U) rack mount design
- 2-Year Warranty

## Характеристики

### Hardware

#### Management

8 Computers

#### Standard

USB 1.1 Compliant

#### PC Ports

8 x VGA HDB 15-pin (female)

#### Console Port

- 1 x USB (Type A) / PS/2 (6-pin Mini Din) Mouse
- 1 x USB (Type A) / PS/2 (6-pin Mini Din) Keyboard
- 1 x VGA HDB 15-pin (female)

#### Cable Interface

**(Optional, not included)**

**To KVM**

- 1 x VGA HDB 15-pin (male)

**To PC**

- 1 x VGA HDB 15-pin (male)
- 1 x USB (Type A)

**Supported OS**

Windows 98(SE)/ME/ 2000/XP/2003 Server/Vista/Windows 7, Linux, Mac and More

**PC Selection**

Hot-Key or Push Buttons

**Auto-Scan Interval**

10-100 seconds (Programmable through Hot-Key)

**LEDs**

On-line (Red), Select (Green)

**Keyboard Status**

Saved & Restored

**Power Adapter**

9V DC 1A External Power Adapter

**Dimensions**

407 x 165 x 45mm (16.0 x 6.5 x 1.8in.)

**Weight**

1.83 kg (4.0 lb)

**Temperature**

- Operating: 0°C~40°C (32°F~104°F)
- Storage: -20°C~60°C (-4°F~140°F)

**Humidity**

0%~80% (non-condensing)


## Certification

CE, FCC

KVM Interface



## Сетевое решение



## Содержимое упаковки

- TK-803R
- Multi-Language Quick Installation Guide
- Power Adapter (9V DC, 1A)
- Rack Mount Kit

## Информация Касательно Заказов

20675 Manhattan Place Tel: 1-310-961-5500  
 Torrance, CA 90501 Fax: 1-310-961-5511  
 USA Web: www.trendnet.com  
 Email: sales@trendnet.com

**To Order Please Call**

**1-888-326-6061**

Information provided in this document pertain to TRENDnet products and is subject to change at any time, without notice.  
 Copyright © 2015 TRENDnet. Все права защищены.