


本圖面若與目錄之規格尺寸不符，以本圖面規格尺寸為主。  
Below is our main specification if different from catalog.

RoHS compliant



CONTACT AND TERMINAL MATERIAL		NUTS & WASHER	
<input type="checkbox"/>	Silver plated	<input type="checkbox"/>	Separate packing
R	Gold plated	1	Fixed on S/W

PB-10XXXX-G

FUNCTION	
A	OFF - ON
B	OFF -(ON)

BUTTON COLOR	
R	(Red)
Y	Yellow
O	Orange
B	Black
GN	Green
W	White
BU	Blue

RoHS compliant

**SPECIFICATION**

**Rating:** 3A 125V AC/1A 250V AC.

**Function:** OFF-ON.

**Contact resistance:** 30mΩ Max.(initial)

**Insulation resistance:** 100MΩ Min. at 500V DC

**Withstand voltage:** 1,000V AC for 1 minute.

**Electrical life:** 5,000 Cycles.

**Mechanical life:** 10,000 Cycles.


**Operating force:** >0.3kg.

**Minimum load:** 100mA 10V DC.(reference only)

**Terminal material:** Copper alloy, Silver plated.

**Soldering temperature:** 240°C Max. for 3 sec.

**Note:** Unwashable, don't be immersed by epoxy and organic solvent.

產品 PRODUCT		Pushbutton Switch		型號 MODEL NO.		PB-10AGN1-G	
比例 SCALE	2 : 1	單位 UNIT	mm	<p><b>SWITRONIC</b><sup>®</sup> INDUSTRIAL CORP. <b>Switches</b></p> <p>一綺電子企業股份有限公司 總公司：110 台北市信義路四段415號12樓之2 12F-2 NO. 415, SEC. 4, HSIN YI ROAD, TAIPEI, TAIWAN TEL : 886-2-27290229 (Rep.) FAX : 886-2-27582086 URL : <a href="http://www.switronic.com.tw">http://www.switronic.com.tw</a> E-MAIL : <a href="mailto:switches@ms36.hinet.net">switches@ms36.hinet.net</a></p>			
公差 TOLERANCE	.X=±0.3mm, .XX=±0.2mm						
製圖 DRAWN BY	核圖 CHECKED BY	主管 APPROVED BY					
Chuck Young	Alex Lin	Margaret Lee					


# 一綺電子企業股份有限公司

## SWITRONIC INDUSTRIAL CORP.

### 入料包裝方式 Packing for Products

#### 袋裝方式 Packing for polybag

成品  
Products




PE袋熱封  
Sealed for PE-bag

Packing for polybag : 100 pcs / polybag , Quantity thickness for polybag : 0.08 mm.

Quantity desiccating agent : 1 pcs , Quantity Styrofoam board : 0 pcs.

#### 袋裝方式 Packing for polybag

成品  
Products



PE袋  
PE-bag

Packing for polybag : \_\_\_\_\_ pcs / polybag.

Quantity thickness for polybag : \_\_\_\_\_ mm , Quantity desiccating agent : \_\_\_\_\_ pcs.

# 一綺電子企業股份有限公司 SWITRONIC INDUSTRIAL CORP.

## 產品綠色環保標章

"G" Mark for All RoHS Compliant Products

## 環保標章式樣

Initial "G": Standing for Green Label



## 外箱標示

Marked on The Outside of Carton As:

