



# Chip Inductors - 0201DS Series (0603)

- 0201 size; world's smallest wirewound inductor
- 52 inductance values from 0.5 to 14 nH

## Typical Q vs Frequency



## Typical L vs Frequency



**Designer's Kits C425A and B** contain 20 of each value

**Core material** Ceramic

**Environmental** RoHS compliant, halogen free

**Terminations** RoHS compliant matte tin over nickel over silver.

**Weight** 0.14 – 0.23 mg

**Ambient temperature** –40°C to +125°C with Irms current

**Maximum part temperature** +140°C (ambient + temp rise).

**Storage temperature** Component: –40°C to +140°C.

Tape and reel packaging: –40°C to +80°C

**Resistance to soldering heat** Max three 40 second reflows at +260°C, parts cooled to room temperature between cycles

**Temperature Coefficient of Inductance (TCL)** +25 to +125 ppm/°C


**Moisture Sensitivity Level (MSL)** 1 (unlimited floor life at <30°C / 85% relative humidity)

**Failures in Time (FIT) / Mean Time Between Failures (MTBF)**

One per billion hours / one billion hours, calculated per Telcordia SR-332

**Packaging** 2000 per 7" reel. Paper tape: 8 mm wide, 0.6 mm thick, 2 mm pocket spacing

**PCB washing** Tested to MIL-STD-202 Method 215 plus an additional aqueous wash. See [Doc787\\_PCB\\_Washing.pdf](#).



| A max | B max | C max  | D     | E     | F     | G     | H     |        |
|-------|-------|--------|-------|-------|-------|-------|-------|--------|
| 0.023 | 0.018 | 0.0177 | 0.004 | 0.015 | 0.009 | 0.007 | 0.018 | inches |
| 0,58  | 0,46  | 0,45   | 0,10  | 0,38  | 0,23  | 0,18  | 0,46  | mm     |



# 0201DS Chip Inductor Series (0603)

| Part number <sup>1</sup> | Inductance <sup>2</sup><br>(nH) | Percent<br>tolerance | 900 MHz |                    | 1.7 GHz |                    | SRF typ <sup>4</sup><br>(GHz) | DCR max <sup>5</sup><br>(Ohms) | Irms <sup>6</sup><br>(mA) |
|--------------------------|---------------------------------|----------------------|---------|--------------------|---------|--------------------|-------------------------------|--------------------------------|---------------------------|
|                          |                                 |                      | L typ   | Q typ <sup>3</sup> | L typ   | Q typ <sup>3</sup> |                               |                                |                           |
| 0201DS-0N5XKE_           | 0.5                             | 10                   | 0.50    | 29                 | 0.49    | 43                 | 23.5                          | 0.020                          | 1250                      |
| 0201DS-0N6XKE_           | 0.6                             | 10                   | 0.58    | 31                 | 0.58    | 51                 | 24.5                          | 0.030                          | 1000                      |
| 0201DS-1N2XJE_           | 1.2                             | 5                    | 1.16    | 42                 | 1.16    | 60                 | 17.9                          | 0.042                          | 870                       |
| 0201DS-1N3XJE_           | 1.3                             | 5                    | 1.24    | 38                 | 1.24    | 57                 | 17.6                          | 0.048                          | 820                       |
| 0201DS-1N4XJE_           | 1.4                             | 5                    | 1.35    | 27                 | 1.34    | 37                 | 17.0                          | 0.080                          | 630                       |
| 0201DS-1N5XJE_           | 1.5                             | 5                    | 1.47    | 28                 | 1.47    | 40                 | 17.0                          | 0.090                          | 600                       |
| 0201DS-2N2XJE_           | 2.2                             | 5                    | 2.23    | 32                 | 2.23    | 32                 | 16.7                          | 0.070                          | 700                       |
| 0201DS-2N3XJE_           | 2.3                             | 5                    | 2.28    | 45                 | 2.28    | 64                 | 16.5                          | 0.070                          | 670                       |
| 0201DS-2N4XJE_           | 2.4                             | 5                    | 2.36    | 35                 | 2.36    | 53                 | 13.0                          | 0.082                          | 620                       |
| 0201DS-2N5XJE_           | 2.5                             | 5                    | 2.50    | 31                 | 2.49    | 44                 | 12.5                          | 0.165                          | 440                       |
| 0201DS-3N3XJE_           | 3.3                             | 5                    | 3.31    | 42                 | 3.32    | 62                 | 12.8                          | 0.080                          | 630                       |
| 0201DS-3N4XJE_           | 3.4                             | 5                    | 3.38    | 42                 | 3.42    | 62                 | 12.7                          | 0.080                          | 630                       |
| 0201DS-3N5XJE_           | 3.5                             | 5                    | 3.41    | 44                 | 3.45    | 64                 | 12.4                          | 0.080                          | 630                       |
| 0201DS-3N6XJE_           | 3.6                             | 5                    | 3.53    | 40                 | 3.57    | 61                 | 12.5                          | 0.105                          | 550                       |
| 0201DS-3N7XJE_           | 3.7                             | 5                    | 3.65    | 39                 | 3.66    | 58                 | 10.6                          | 0.105                          | 550                       |
| 0201DS-3N8XJE_           | 3.8                             | 5                    | 3.81    | 38                 | 3.81    | 60                 | 10.2                          | 0.180                          | 420                       |
| 0201DS-3N9XJE_           | 3.9                             | 5                    | 3.89    | 35                 | 3.89    | 50                 | 11.2                          | 0.240                          | 360                       |
| 0201DS-4N8XJE_           | 4.8                             | 5                    | 4.83    | 34                 | 4.83    | 50                 | 11.0                          | 0.096                          | 570                       |
| 0201DS-4N9XJE_           | 4.9                             | 5                    | 4.72    | 33                 | 4.71    | 52                 | 11.7                          | 0.130                          | 510                       |
| 0201DS-5N0XJE_           | 5.0                             | 5                    | 4.90    | 34                 | 4.90    | 54                 | 11.5                          | 0.130                          | 510                       |
| 0201DS-5N1XJE_           | 5.1                             | 5                    | 4.96    | 35                 | 4.96    | 54                 | 11.1                          | 0.130                          | 510                       |
| 0201DS-5N2XJE_           | 5.2                             | 5                    | 5.21    | 36                 | 5.21    | 55                 | 10.0                          | 0.170                          | 430                       |
| 0201DS-5N3XJE_           | 5.3                             | 5                    | 5.15    | 36                 | 5.15    | 57                 | 10.6                          | 0.130                          | 510                       |
| 0201DS-5N4XJE_           | 5.4                             | 5                    | 5.30    | 36                 | 5.31    | 56                 | 10.2                          | 0.130                          | 510                       |
| 0201DS-5N5XJE_           | 5.5                             | 5                    | 5.49    | 35                 | 5.49    | 50                 | 9.5                           | 0.285                          | 330                       |
| 0201DS-6N7XJE_           | 6.7                             | 5                    | 6.71    | 40                 | 6.72    | 59                 | 6.8                           | 0.150                          | 460                       |
| 0201DS-6N8XJE_           | 6.8                             | 5                    | 6.52    | 35                 | 6.52    | 52                 | 9.5                           | 0.150                          | 460                       |
| 0201DS-6N9XJE_           | 6.9                             | 5                    | 6.70    | 36                 | 6.73    | 54                 | 9.3                           | 0.150                          | 460                       |
| 0201DS-7N0XJE_           | 7.0                             | 5                    | 6.97    | 39                 | 6.97    | 60                 | 6.7                           | 0.210                          | 390                       |
| 0201DS-7N1XJE_           | 7.1                             | 5                    | 6.91    | 36                 | 6.90    | 54                 | 9.5                           | 0.250                          | 390                       |
| 0201DS-7N2XJE_           | 7.2                             | 5                    | 6.97    | 36                 | 6.97    | 55                 | 9.4                           | 0.250                          | 390                       |
| 0201DS-7N3XJE_           | 7.3                             | 5                    | 7.05    | 37                 | 7.04    | 56                 | 9.3                           | 0.250                          | 390                       |
| 0201DS-7N4XJE_           | 7.4                             | 5                    | 7.29    | 40                 | 7.30    | 61                 | 9.1                           | 0.250                          | 390                       |
| 0201DS-7N5XJE_           | 7.5                             | 5                    | 7.44    | 36                 | 7.46    | 50                 | 6.8                           | 0.340                          | 300                       |
| 0201DS-7N6XJE_           | 7.6                             | 5                    | 7.32    | 39                 | 7.31    | 59                 | 9.3                           | 0.300                          | 340                       |
| 0201DS-7N7XJE_           | 7.7                             | 5                    | 7.38    | 39                 | 7.37    | 60                 | 9.2                           | 0.300                          | 340                       |
| 0201DS-7N8XJE_           | 7.8                             | 5                    | 7.49    | 38                 | 7.49    | 58                 | 9.2                           | 0.300                          | 340                       |
| 0201DS-7N9XJE_           | 7.9                             | 5                    | 7.56    | 38                 | 7.56    | 58                 | 9.1                           | 0.300                          | 340                       |
| 0201DS-8N0XJE_           | 8.0                             | 5                    | 7.65    | 35                 | 7.68    | 53                 | 9.2                           | 0.300                          | 340                       |
| 0201DS-8N1XJE_           | 8.1                             | 5                    | 7.74    | 37                 | 7.75    | 59                 | 9.1                           | 0.300                          | 340                       |
| 0201DS-8N2XJE_           | 8.2                             | 5                    | 8.14    | 37                 | 8.22    | 53                 | 6.4                           | 0.270                          | 340                       |
| 0201DS-8N3XJE_           | 8.3                             | 5                    | 7.93    | 36                 | 7.95    | 57                 | 8.9                           | 0.300                          | 340                       |
| 0201DS-8N4XJE_           | 8.4                             | 5                    | 8.03    | 35                 | 8.04    | 55                 | 8.9                           | 0.350                          | 300                       |
| 0201DS-8N5XJE_           | 8.5                             | 5                    | 8.11    | 35                 | 8.13    | 55                 | 8.9                           | 0.350                          | 300                       |
| 0201DS-8N7XJE_           | 8.7                             | 5                    | 8.68    | 38                 | 8.74    | 59                 | 6.3                           | 0.350                          | 300                       |
| 0201DS-9N0XJE_           | 9.0                             | 5                    | 9.02    | 42                 | 9.04    | 63                 | 6.4                           | 0.350                          | 300                       |
| 0201DS-9N4XJE_           | 9.4                             | 5                    | 9.38    | 36                 | 9.39    | 51                 | 6.4                           | 0.400                          | 280                       |
| 0201DS-9N6XJE_           | 9.6                             | 5                    | 9.62    | 38                 | 9.64    | 53                 | 6.2                           | 0.400                          | 280                       |
| 0201DS-11NXJE_           | 11.0                            | 5                    | 11.11   | 40                 | 11.15   | 62                 | 5.7                           | 0.400                          | 280                       |
| 0201DS-12NXJE_           | 12.0                            | 5                    | 12.15   | 39                 | 12.20   | 56                 | 5.6                           | 0.360                          | 300                       |
| 0201DS-13NXJE_           | 13.0                            | 5                    | 13.12   | 38                 | 13.22   | 52                 | 6.7                           | 0.440                          | 270                       |
| 0201DS-14NXJE_           | 14.0                            | 5                    | 14.13   | 37                 | 14.37   | 51                 | 5.1                           | 0.440                          | 270                       |

1. When ordering, please specify **packaging** code:

**0201DS-14NXJEW**

**Packaging:** W = 7" machine-ready reel. EIA-481 punched paper tape (2000 parts per full reel).

U = Less than full reel. In tape, but not machine ready. To have a leader and trailer added (\$25 charge), use code letter W instead.

2. Inductance measured at 250 MHz using a Coilcraft SMD-F fixture in an Agilent/HP 4286 impedance analyzer with Coilcraft-provided correlation pieces.

3. Q measured using an Agilent/HP 4291A with an Agilent/HP 16197 test fixture.

4. SRF measured using an Agilent/HP 8722ES network analyzer and a test fixture with a 0.010" air gap.

5. DCR measured on a micro-ohmmeter and a Coilcraft CCF858 test fixture.

6. Current that causes a 15°C temperature rise from 25°C ambient. This information is for reference only and does not represent absolute maximum ratings

Refer to Doc 362 "Soldering Surface Mount Components" before soldering.



www.coilcraft.com

**US** +1-847-639-6400 sales@coilcraft.com  
**UK** +44-1236-730595 sales@coilcraft-europe.com  
**Taiwan** +886-2-2264 3646 sales@coilcraft.com.tw  
**China** +86-21-6218 8074 sales@coilcraft.com.cn  
**Singapore** + 65-6484 8412 sales@coilcraft.com.sg

Document 699-2 Revised 09/14/15

© Coilcraft Inc. 2015

This product may not be used in medical or high risk applications without prior Coilcraft approval. Specification subject to change without notice. Please check web site for latest information.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## Coilcraft:

[0201DS-2N2XJLW](#) [0201DS-2N2XJLU](#) [0201DS-7N5XJLW](#) [0201DS-9N0XJLW](#) [0201DS-1N4XJLU](#) [0201DS-7N0XJLU](#) [0201DS-2N5XJLW](#) [0201DS-5N2XJLU](#) [0201DS-3N9XJLU](#) [0201DS-5N5XJLU](#) [0201DS-8N7XJLW](#) [0201DS-1N5XJLU](#) [0201DS-3N4XJLW](#) [0201DS-1N2XJLU](#) [0201DS-0N5XKLU](#) [0201DS-9N6XJLW](#) [0201DS-11NXJLW](#) [0201DS-3N5XJLW](#) [0201DS-3N8XJLW](#) [0201DS-14NXJLW](#) [0201DS-3N8XJLU](#) [0201DS-3N5XJLU](#) [0201DS-14NXJLU](#) [0201DS-11NXJLU](#) [0201DS-5N2XJLW](#) [0201DS-1N4XJLW](#) [0201DS-2N4XJLW](#) [0201DS-7N0XJLW](#) [0201DS-9N0XJLU](#) [0201DS-7N5XJLU](#) [0201DS-2N5XJLU](#) [0201DS-6N7XJLU](#) [0201DS-2N3XJLU](#) [0201DS-8N2XJLU](#) [0201DS-8N2XJLW](#) [0201DS-2N3XJLW](#) [0201DS-6N7XJLW](#) [0201DS-13NXJLU](#) [0201DS-3N7XJLU](#) [0201DS-4N8XJLU](#) [0201DS-1N3XJLU](#) [0201DS-0N6XKLU](#) [0201DS-3N3XJLW](#) [0201DS-3N6XJLW](#) [0201DS-12NXJLW](#) [0201DS-9N4XJLW](#) [0201DS-9N6XJLU](#) [0201DS-0N5XKLW](#) [0201DS-1N2XJLW](#) [0201DS-3N4XJLU](#) [0201DS-5N5XJLW](#) [0201DS-8N7XJLU](#) [0201DS-1N5XJLW](#) [0201DS-3N9XJLW](#) [0201DS-2N4XJLU](#) [0201DS-3N3XJLU](#) [0201DS-3N7XJLW](#) [0201DS-9N4XJLU](#) [0201DS-12NXJLU](#) [0201DS-1N3XJLW](#) [0201DS-3N6XJLU](#) [0201DS-0N6XKLW](#) [0201DS-4N8XJLW](#) [0201DS-13NXJLW](#) [0201DS-9N0XJEU](#) [0201DS-7N4XJEW](#) [0201DS-3N8XJEU](#) [0201DS-7N5XJEU](#) [0201DS-9N6XJEU](#) [0201DS-7N0XJEW](#) [0201DS-7N9XJEU](#) [0201DS-2N5XJEU](#) [0201DS-6N8XJEU](#) [0201DS-3N8XJEW](#) [0201DS-0N5XKEW](#) [0201DS-5N0XJEW](#) [0201DS-9N4XJEU](#) [0201DS-2N2XJEU](#) [0201DS-4N9XJEW](#) [0201DS-13NXJEW](#) [0201DS-7N1XJEW](#) [0201DS-3N7XJEW](#) [0201DS-2N3XJEW](#) [0201DS-3N3XJEW](#) [0201DS-1N5XJEW](#) [0201DS-8N5XJEU](#) [0201DS-1N3XJEW](#) [0201DS-5N2XJEW](#) [0201DS-5N1XJEW](#) [0201DS-3N5XJEW](#) [0201DS-5N2XJEU](#) [0201DS-6N8XJEW](#) [0201DS-2N4XJEW](#) [0201DS-1N4XJEW](#) [0201DS-1N3XJEU](#) [0201DS-7N6XJEU](#) [0201DS-8N3XJEU](#) [0201DS-7N6XJEW](#) [0201DS-3N3XJEU](#) [0201DS-6N7XJEU](#)